



Standard davit

With manual or electric winch

The elegant, lightweight **atlas** standard davit perfectly compliments even the sleekest of superyachts. It makes light work of lifting dinghies, ribs, jet tenders, jetskis and other superyacht toys and has a safe working load (SWL) of 500kg.

Multiple deck sockets in stainless, GRP or aluminium allow for a single davit to be used in various locations around the vessel and then easily stowed away.

Choose from a spectrum of colours or carbon finish.

There are six standard sizes with reach ranging from 1500mm to 4000mm. Custom sizes and increased SWL are also available.

Twin davits

With electric winch

These twin yacht davits have been developed to suit the transoms of sailing vessels, bringing the elegant lines of the **atlas** range to the sailing yacht world. If you are looking for a solution to permanently lift and stow your dinghy or tender from the transom of your boat the **atlas** twin davit is the answer.

Our range includes raked twin davits and slider twin davits; both come with an internal electric winch as standard and have a safe working load of 500kg across the pair.

They come in a range of colours or carbon finish.

Baby davit

With manual or electric winch

With the same elegant lines and lightweight characteristics as our standard davits, the baby davit is the answer for smaller craft and docksides; perfect for lifting outboard motors, dinghies, jet tenders, seabobs, mini jetskis, and for man overboard.

Multiple sockets in stainless, GRP or aluminium allow for a single davit to be used in a number of different locations. Choose from a spectrum of colours or carbon finish.

There are three standard sizes with a reach between 900mm and 1500mm, weighing from just 11kg and lifting 125kg as standard. They can also be upgraded to have a safe working load (SWL) of 250kg.



SUPERYACHTS

MOTOR BOATS

SAILING YACHTS

DOCK SIDE

INDUSTRIAL



If you are looking for a custom composite solution for a marine or non-marine application we can help.

We often work with customers to produce custom carbon products to their specification.

Recent manufacturing projects include:

- lightweight components for renewable energy industry
- isolation screens for Royal Navy communications masts
- carbon fibre passerelles and landing craft
- carbon lifting beams



Atlas Carbon Products from Jeremy Rogers Ltd

Lymington Yacht Haven King's Saltern Road Lymington SO41 3QD UK

T +44 (0)1590 646780 E info@atlascarbonproducts.com www.atlascarbonproducts.com

JEREMY ROGERS

Boat Builders & Composite Specialists



Why choose an atlas davit

Designed and produced by the world class team at Jeremy Rogers Ltd, builders of fine yachts, **atlas** is the world's leading manufacturer of carbon fibre marine davits.

We combine the latest technology and materials with a simple yet elegant design to produce the definitive lifting solution for the boating world.


Whether you are lifting jet tenders or dinghies, jetskis or rescue boats, the **atlas** carbon davit range will have something to suit your needs.

Our exclusive, tried and tested, METS-DAME award winning range of lightweight davits have a number of different applications and are currently used all around the world – on superyachts, on dock sides and by the UK Ministry of Defence for man overboard safety.

Our full range of davits can be class approved to meet man overboard, man riding and rescue boat launching standard.

- **Portable – baby davits start from 11kg**
- **500kg safe working load as standard**
- **Available in a range of sizes**
- **Rotates through 360 degrees**
- **Quick and simple to erect and use**
- **Multiple watertight deck sockets**
- **Easily stowed**
- **CE approved and ISO9001**
- **METS-DAME award winner**

Standard davit With electric winch




**Safe working load (SWL)
= 500kg**

Reach:	1500mm
Weight:	from 55kg*
Height under hook:	1930mm
Reach:	2000mm
Weight:	from 60kg*
Height under hook:	2150mm
Reach:	2500mm
Weight:	from 70kg*
Height under hook:	2370mm
Reach:	3000mm
Weight:	from 75kg*
Height under hook:	2600mm
Reach:	3500mm
Weight:	from 85kg*
Height under hook:	2820mm
Reach:	4000mm
Weight:	from 90kg*
Height under hook:	3040mm

Technical specifications

Socket depth in deck: 450mm
 Socket internal diameter GRP, aluminium, stainless steel: 155mm
 Electric winch: 12/24 volt
 Bearings: plain polyester (optional roller bearing)
 Construction: advanced pre-preg carbon fibre

Standard davit With manual winch




**Safe working load (SWL)
= 500kg**

Reach:	1500mm
Weight:	from 45kg*
Height under hook:	1930mm
Reach:	2000mm
Weight:	from 50kg*
Height under hook:	2150mm
Reach:	2500mm
Weight:	from 60kg*
Height under hook:	2370mm
Reach:	3000mm
Weight:	from 65kg*
Height under hook:	2600mm
Reach:	3500mm
Weight:	from 75kg*
Height under hook:	2820mm
Reach:	4000mm
Weight:	from 80kg*
Height under hook:	3040mm


Technical specifications

Socket depth in deck: 450mm
 Socket internal diameter GRP, aluminium, stainless steel: 155mm
 Manual winch with 5:1 purchase
 Bearings: plain polyester (optional roller bearing)
 Construction: advanced pre-preg carbon fibre

Twin davit Raked



Twin davit Slider




Twin davits have a safe working load (SWL) of 500kg

Reach:	1470mm
extending to:	2340mm
Weight:	45-50kg*
Height under hook:	900mm

Technical specifications

Winch: bespoke internal electric winch, 12 or 24 volt
 Socket depth in deck: 500mm
 Construction: advanced pre-preg carbon fibre

Baby davit Manual or optional electric winch



Baby davits have a safe working load (SWL) of 125kg, upgradeable to 250kg

Reach:	900mm
Weight:	11kg*
Height under hook:	1545mm
Reach:	1200mm
Weight:	12kg*
Height under hook:	1655mm
Reach:	1500mm
Weight:	13kg*
Height under hook:	1760mm

Technical specifications

Optional manual winch with 3:1 purchase
 Socket depth in deck: 310mm
 Socket internal diameter: 100mm
 Optional 12 or 24 volt drive motors
 Bearings: plain polyester
 Construction: advanced pre-preg carbon fibre

* Actual davit weight defined by selected specification.
 We reserve the right to alter technical specifications without prior notification.

* Actual davit weight defined by selected specification.
 We reserve the right to alter technical specifications without prior notification.